


JEEP CJ


Go ahead. Create your own history. You've waited long enough. The time to own a Jeep, CJ is now! Travel to the untraveled corners you've dreamed of but never experienced.

The road is behind you.
Ahead, the terrain is rocky
and snow covered. Jeep CJ
doesn't care. Neither should
you.

Whether your choice is CJ, Renegade or Laredo you'll know that you've got the best there is. It's that same Jeep confidence that's put over four million Jeep vehicles on, and off, roads throughout the world for over 45 years.

Go ahead. You've waited long enough. There's only one way to discover this kind of fun and excitement. Only in a Jeep.





JEEP CJ

You've seen the familiar grille more times than can be counted. Its look and lines identify it as the "go-anywhere, do anything" machine with an historic ancestry undeniably Jeep. Jeep, CJ. A one of a kind. Take it and go.

Standard CJ features include: a 2.5 litre, 4-cylinder engine, 4-speed manual transmission, 2-speed transfer case, electronic ignition, high-back bucket seats, instrument panel gauges for oil, voltmeter, temperature and fuel, wheellip extensions and more.

CJ options offer added comfort and convenience: air conditioning, automatic transmission, AM/FM cassette stereo. There's also the handy fold and tumble rear seat, which makes space conversion fast and simple.

Ten paint colors, including optional clearcoat metallics, are available for

are also available with steel doors.

CJ models. Optional soft tops come in black, white, garnet or honey. Soft tops


Hard tops with steel doors are offered in black, white and honey. (Check features and options.) page 8 for a complete list of standard

CJ also keeps an eye on economy delivering 19 EPA CITY EST MPG, 20 HWY EST* with the standard potential range of 300 miles. mission. Equipped with the standard 15-gallon fuel tank, this gives CJ a 4-cylinder engine and 4-speed trans-

> mentioning advanced Jeep quality.
>
> Quality that goes deep with exacting attention to rust and corrosion resistance, ride and handling, and the fulfillment of the promise of legendary Jeep performance. The CJ story is not complete without


may differ. Figures based on standard 4-speed transmission. *Use these figures for comparison. Your results

- A. CJ instrument panel
 B. Fold-down windshield
 C. Fold and tumble rear seat for extra cargo space





JEEP CJ RENEGADE AND LAREDO



retreat. Conquer the top of a snow-capped hill. To these rugged CJ's, the wilderness is home. With every out-of-the-way destination a reachable goal...Only in a Jeep. A step beyond. With sporty exterior graphics that label them distinct, their owners, unique. Attack a sand trail or trace a dry riverbed to an untouched

INTERIOR: black, garnet or honey denim-look vinyl high-back front bucket seats and matching fold and **CJ Renegade**Equipment in addition to or in place of items found on the base CJ: lights • glove box lock • instrument panel overlay • intermittent wipers • soft-feel sport steering wheel tumble rear bench seat • courtesy

Denim vinyl high-back bucket seats

15" x 7" white painted styled steel moldings • special Renegade exterior graphic treatment with striping in yellow, blue or red • underhood light EXTERIOR: front frame cover
• P235/75R15 black Wrangler® steel wheels with chrome hub covers with cover • rocker panel protection radial tires • Polyspare® spare tire


interior with indoor/outdoor carpeting seat • center console • color-keyed matching fold and tumble rear bench and dark honey Celtic Grain vinyl **CJ Laredo**Equipment in addition to or in place of items found on the base CJ: high-back front bucket seats and INTERIOR: black and gray or honey courtesy lights • glove box lock

- overlay intermittent wipers hood insulation • instrument panel
- leather-wrapped passenger-assist
- bar leather-wrapped steering wheel pinstriping on instrument panel
- special door trim panels (hard top) tachometer and clock

EXTERIOR: black rocker panel moldings • extensive chrome trim front frame cover • Laredo hood lecal • P235/75R15 outline white

 special striping in silver and gray or brown and gold • textured over- Polyspare® spare tire with cover
 soft top in black, white or honey, or with bronze tone deep-tinted glass lay panel in hard door insets • under-hood light • 15" x 7" chrome styled steel wheels with chrome hub covers deep-tinted glass (rear quarter and optional black hard top with gray tone (rear quarter and tailgate windows) tailgate windows) or honey hard top

STANDARD FEATURES



Hood insulation	Gillia paria: Gilliano	Crillo papol chrome	Grille panel-body color	Front frame cover	Bumperettes-rear, chrome	Bumper-front, chrome	Bumper-front, painted black	EXTERIOR	Steering wheel-3-spoke black, leather-wrapped	Steering wheel-3-spoke black, soft-feel sport	Steering wheel-3-spoke black, plastic	Seats-with Celtic Grain vinyl	Seats-with denim-look vinyl	Seats-with Linen Grain vinyl	Seats-high-back buckets, front	Seat-fold and tumble, rear	Passenger-assist bar-leather-wrapped	Passenger-assist bar-metal	Padded instrument panel and sun visors	Mirror-8.4" day/night rearview	Instrument panel overlay	Glove box light	Gauges-oil, voltmeter, temp, fuel	Floor covering-full carpeting, removable	Floor covering-mini carpet mat	Couriesy lights	Oldar Illahto	Center consore	Contor concole	INTERIOR	-Base 2-Renegate
otional signals and 4-way hazard flashers																															
	ı	_	S	1	+,	+	+	<u>, </u>	+,	+	1	0	\dagger	1	0	7	٦,	C	0 0	0	ו	1	1 0	'n	П	S	1	S	1	_	
S	_	\vdash	₩	+-	+	+	-	<u>"</u>	+	+	+		-+	+	_	0 0	ام	1	0	n (0 0	0 0	0	5	1	s	S	S	ī	2	1
ဖျ	i	1	S	(C	Ή'	ᆚ	1 10	" _	_	7	-	-	+	-	-+	0	-+-	,	-	-	-	-	-	s	s	1	S	s	S	ယ	1

Wheels—ID X/ Cilibility saying sect (1)	Wildels—10 Ar william office coor (1)	Wheels-13 x3.0 sect (+)	Williams Tellos Fill stool (A)	Washers-electric wintermittent wibers	Washers-electric w/2-speed elec. wipers	Transmission-4-speed manual floor shift	Tires-P235/75R15 white letter Goodyear Wrangler® steel radial (4)	Tires-P235/75R15 black letter Goodyear Wrangler® steel radial (4)	Tires-P205/75R15 black Goodyear Arriva® steel radial (4)	Tachometer and clock	Steering column—energy-absorbing w/anti-theft ignition	Otahiivar har and steering damper, front	Spare tire cover	Share tire—Goodvear Polyspare® mounted with swing-away carrier	Skid plates-fuel tank, transfer case	Roll bar	Heater and defroster	Free-wheeling hubs-manual locking	Engine-2.5 litre (150 CID) 4-cyl. 1 bbl.		Brakes, parking-foot lever actuated, operates on rear wheels			Wheellip extensions	Underhood light	Special stripes			ing-black	ne		EXTERIOR (continued)	
	١	ı	S	ī	v.	ď	1	1	V.	1	S	တ	S	S	S	y C	y.) (+	n c	-+-	+	χ	+	-	1	1	-	<u> </u>	1	S		_
	T	S	1	S	1	U)	U	ī	I	S	S	S	S	V.	Ø	ď	٥		n c	-	-+	מ	-	-+	-	S	1	S	1	S	N	
	S	T	ī	S	1	U	o o	וו	1	S	ဟ	တ	ဟ	S	(V	ď	ď) (n c	מ פ	ומ	S) (ν L		S	ဖ	S	S	S	S	Ľ	J	

-Not available as a standard feature




Electric winch

ACCESSORIES

In addition to a complete selection of popular optional equipment, your Jeep dealer also offers a full range of factory approved accessories and genuine Jeep replacement parts.

They're designed and engineered to demanding factory specifications to assure they will fit correctly, function properly and give long-lasting satisfaction.

Always insist on genuine Jeep parts and accessories from the Jeep Store® at your authorized dealer.



Goodyear Wrangler all-season radial tires

Of course, off-road these unique design characteristics give Jeep CJ advantages in unmatched performance that will allow you to go places you'd never dream of going in a conventional car. Jeep Corporation remains committed to the promotion of off-roading as a safe, positive, responsible recreational pursuit. And, as an advisory member of the United Four Wheel Drive Associations, we fully support organized four-wheeling.

OPTIONS & ACCESSORIES

i⊢Base

2-Renegade

3-Laredo

COLOR & TRIN

	•		en Amon men rank (refraces statitistic results)
			Conventional full size spare w/wheel (replaces limited-duty Goodyear Polyspare®)
ဖ	- +	 	Tires-P235/75R15 white letter Goodyear Wrangler® steel radial (requires 15"x7" wheels)
<u> </u>	ဖ	>	Tires-P235/75R15 black letter Goodyear Wrangler® steel radial (requires 15"x7" wheels)
1 0		▶∤	Tires-P215/75R15 black Goodyear Wrangler® steel radial mud & snow
n D	•	• 1	Tachometer and clock
<u> </u>	>	•	Suspension-soft-ride (with Renegade or Laredo only)
- -	>	>	Suspension-extra-duty, 4150 lb. GVW includes heavy-duty springs and shocks, front and rear
-	•	•	Spare tire lock (std. with 7" wheels)
			Rear Trac-Lok differential
•		•	Power steering, variable ratio
	▶	▶	Mirror—outside passenger rearview (included with hardtop)
▶		▶	Heavy-duty shocks, front and rear
▶	▶	▶	Heavy-duty cooling
▶	▶		Heavy-duty battery (56-452 cold crank amps)
▶	►l	▶ !	Heavy-duty alternator (56-amp)
>	▶▶	▶	Halogen headlamps
>	• •	•	Halogen fog lamps
•	•	•	5-speed manual transmission with overdrive
•	•	•	Finding-42 litra (258 CID) 6-rul 2 hbl
1	S		Soll-leel sport sieering wheel
			Decor Group-frame front cover, rocker panel protection molding, instrument panel overlay,
>		>	Cruise control (NA 4-cyl.)
S	S	>]	Convenience Group-intermittent wipers, courtesy lights, underhood light, lockable glove box
>	>	>	Cold Climate Group-heavy-duty battery and alternator, engine block heater
>	•	•	Automatic transmission (NA 4-cyl.)
			FUNCTIONAL
	▶		AM/FM cassette stereo radio (2 speakers)
▶		▶	AM/FM stereo radio (2 speakers)
▶	>	>	AM pushbutton radio
			AUDIO
1	S	▶	Wheels-15"x7" white styled steel (4)
တ	▶	▶	Wheels-15"x7" chrome styled steel (4)
S	▶ I	▶	Soft top-full with soft doors
▶]	▶ I	▶ I	Soft top-full with hard doors
▶ [>	>)	Roll Bar Accessory Package-padded roll bar and roll bar saddle bags
S C	>	>	Metallic paint
S	>	>)	Hard top with hard doors
y c	•	>	Deep-tinted glass-gray or bronze tone rear quarter and tailgate (hard top)
o U	•	•	Carpeting—front and rear
ı	▶	•	Rumperottes rear
>	ı	ı	Laredo-hardtop
▶	Т	1	Laredo-softtop
	▶	1	Renegade
			Appearance and Equipment Packages:
			APPEARANCE
>	▶	>	Tilt steering wheel
	S	▶	Steering wheel-soft-feel sport, 3-spoke
S	လ J	▶	Rear seat-fold and tumble design
>	> >	1	Extra-quiet Insulation Package (hard top)
n Þ	>	>	Center console
•	• •	•	Bodyside steps
. (- 1	-	Air conditioning system (NA 4-cvl.)
N	5	_	COMFORT AND CONVENIENCE

S-Standard

▲-Optional

-Not Available


NC-No Charge

Black

Honey


Garnet

9





SPECIFICATIONS & DIMENSIONS



EXTERIOR	
Lenath	153.2
Wheelbase	93.4
Overall Width	65.3
Heiaht (open body)	70.9
Tread. front rear	55.8 55.1
Overhang, front rear	23.5 36.3
Minimum Ground Clearance	7.5
Tailgate Opening Width	34.5
Turning Diameter, curb to curb (ft.)	35.9

NTERIOR	
Head Room, front rear	39.9*39.6*
Lea Room, front rear	39.1/35.0
Hip Room, front/rear	53.8 36.0
Shoulder Room, front rear	53.8 56.3
Cargo Volume (cubic feet)	16.0
MECHANICAL	
Engine	2.5 litre. 4-cyl. 1 bbl. carb.
	A speed full even manual


4-Speed Idii Syric iria	Iransmission	35.9	b (ft.)
A speed full symp ma	Light	U#.	
2.5 III.6. 4-CVI. 1 DUI. C	Engine	2/2	

4.2 lifte six cyllinaet	
A O litto oix orlinder	Recommended Equipment: Engine
Frame-mounted drawbar	Hitch
Extra-duty Suspension Packa	Required Equipment: Suspension
200 lbs.	Tongue load limit
2000 lbs.	Maximum loaded trailer weight
THE RESIDENCE OF THE PARTY OF T	TRAILER TOWING INFORMATION

These charts are meant to serve as a quick-and-easy reference guide on how to properly equip your Jeep vehicle for all types of towing. For specific details, however, discuss your plans with your Jeep dealer. He will help you select the right equipment to meet your specifications.

CAUTION: Never overload your vehicle beyond these design capacities. Jeep Corporation cannot be responsible for brake performance if the Jeep vehicle and trailer hydraulic brake systems are in any way connected. A separate brake system for all trailers weighing over 1000 pounds gross is recommended. (State laws should be checked for trailer brake requirements.)

SERVICE SECURITY PLAN



A Service Security Plan will provide extended repair expense protection on major components, car rental assistance,

trip interruption protection, nationwide service and much more.

Four Service Security Plans are available for your new Jeep. From a 3-year 36,000-mile standard plan, to a 5-year 50,000-mile deluxe plan.

These plans are easy to purchase. Ask your dealer for details.

Litho in USA 2.86 Form Number 31-5454-0835 (5-01)3

(inches		
ront rea	15 gallons	uel Tank
Gross /	55-421 cold crank amps	Battery
Gross \	42 amps	liternator
Steering	Serni-indamig hypora, 3,54:1 ratio	ear
Clutch I	3.54:1 ratio	
front dis-	full-floating hypoid.	ont
Brakes		vio
front rea	2.62:1 low range	allaici oasc

MECHANICAL (cont.)

MECHANICAL (cont.)	
Spring Rates front rear (lbs. in.)	170 185
Brakes front disc rear drum	10.4/10 x 1.75
Clutch Diameter 4-cyl. 6-cyl.	9.12 10.5
Steering	manual 24:1 ratio
Gross Vehicle Wgt., lbs.	3750
Gross Axle Wgt. Rating front rear (lbs.)	2200/2700

1986 JEEP VEHICLE WARRANTIES AND INFORMATION

unless otherwise specified)

All 1986 Jeep vehicles are covered by the 1986 New Jeep Vehicle Limited Warranty that provides for 12 months 12,000 miles of coverage on all components except tires, which are covered under a separate tire manufacturer's warranty.

ge

Upon expiration of the new vehicle warranty, a number of specified engine, transmission, transfer case and front- or rearwheel drive components are covered against defects for an additional 12 months/12,000 miles. This 1986 Jeep Extended Powertrain Protection Limited Warranty requires the owner to pay the first \$100 per repair visit for the repair or replacement of any covered items.

For additional information on warranty coverage and exclusions, check with your local Jeep dealer.

See the owner's manual for important information regarding proper operation of this vehicle.

Vehicles illustrated in this brochure may vary slightly from actual production models. Consult your Jeep dealer for recent changes. This folder does not constitute an offer or commitment to sell. In order that product improvements may be made at any time, specifications and other data are subject to change without notice. Jeep vehicles incorporate thousands of dif-

ferent components produced by Jeep Corporation, affiliated companies and various independent suppliers. From time to time during the manufacturing process, it may be necessary to produce Jeep vehicles with different components or differently sourced components than initially scheduled. All components must meet the standards of Jeep Corporation and will provide the performance expected from Jeep vehicles. Jeep vehicles meet or exceed all applicable Federal Motor Vehicle Safety Standards at the time of manufacture. Some of the Jeep vehicles shown and described in this brochure have optional equipment. Certain equipment items and features may not be available for all models.

This catalog contains information that is correct at time of printing, however, Jeep Corporation reserves the right to discontinue or change specifications, models, equipment or prices at any time without incurring obligation.

JEEP. CJ. RENEGADE. LAREDO. SELECTRAC and the Jeep CJ radiator grille design are trademarks of Jeep Corporation. In Canada, American Motors (Canada) Inc. is a licensed user. In Puerto Rico and U.S. Virgin Islands. American Motors Pan American Corporation is a licensed user.

Like other utility vehicles, this vehicle handles and maneuvers differently from many passenger cars. In order that this vehicle be driven safely and correctly, please read the driving guidelines in the owner's manual. Wear seat belts at all times—don't drink and drive.



